

# ROSE RX SYSTEMIC DRENCH

**CONTROLS LISTED INSECTS AND DISEASES ON  
ROSES, FLOWERS AND OTHER ORNAMENTALS**

**ONE QUART TREATS UP TO 16 ROSES**

**CONTROLS JAPANESE BEETLES, BORERS, APHIDS,  
BLACK SPOT, POWDERY MILDEW AND OTHER LISTED  
INSECTS & DISEASES.**

EPA Est. No. 4-NY-1

EPA Reg. No. 69361-19-4

©Bonide Products, Inc. All Rights Reserved

Distributed by  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### FOR OUTDOOR RESIDENTIAL USE ONLY

#### BEFORE YOU USE

**Read and follow these directions when using:**

- Do not apply near lakes, streams, rivers or ponds.
- Do not apply to plants grown for food.
- Do not treat plants grown in pots, flower boxes or other containers.
- Do not apply to soils which are water-logged or frozen.
- Measuring utensils such as measuring cups and measuring spoons must not be used for any food or drinking water purposes after use with this product.

#### HOW TO USE

**Shake Well Before Use:**

- Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water (add last).

**- Single Plants**

Slowly pour as close to the base of the plant as possible, being careful not to get on leaves.

**• Flowerbeds:**

Sprinkle over the tops of the plants and cover the entire area.

**NOTE:** The Flowerbed solution is diluted with more water than the Single Plant solution to ensure safety to plant leaves when sprinkling over the top.

- When finished, rinse the bucket/watering can with clean water and pour onto treated area.

## HOW MUCH TO USE

### Roses

2 fl.oz. (4 TBSP) in 1 quart of water treats 1 plant

### Flowerbeds

2 fl. oz. (4 TBSP) in 2 gallons of water treats 12 sq. ft.

### Azaleas, Camellias, Rhododendrons, and Other Shrubs

1 fl. oz. (2 TBSP) in 1 quart of water per foot of plant height

## FOR BEST RESULTS

- Begin using this product in the spring when plants are actively growing.
- Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 - 5 weeks for a total of 4 applications per year.
- Ensure the product gets down into the rootzone by:
  - pulling mulch away from plants to be treated.
  - building a well around individual plants.
  - pouring the drench solution slowly to allow the soil to absorb it.
- Keep rose, flower, and shrub beds clean.

This minimizes harborage sites for diseases and insects (for additional cultural practices, consult your County Extension Service).

## HOW THIS PRODUCT WORKS

Water moves the product down into the root zone where it is taken up and moved into the plant. The entire plant, even new growth, is protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.

**Do Not Allow Children and Pets to Enter the Treated Area Until It Has Dried**

**INSECTS CONTROLLED**

Adelgids Aphids Black Vine Weevil Larvae Borers <ul style="list-style-type: none"><li>• Flatheaded (including Bronze Birch and Alder Borers)</li><li>• Roundheaded (including Eucalyptus Longhorned Borers)</li></ul> Japanese Beetles, Adult Lace Bugs Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles)	Leafhoppers (including Glassy-winged Sharpshooters) Leafminers (including Birch Leafminers and Holly Leafminers) Mealybugs Pine Tip Moth Larvae Psyllids Royal Palm Bugs Sawfly Larvae Scales (including Armored Scale (suppression) and Soft Scale) Thrips Whiteflies
--	---

**DISEASES CONTROLLED**

<b>Diseases</b>	<b>Plants</b>
Black Spot Powdery Mildew Rust	Roses
Powdery Mildew Rust Southern Blight	Flowers
Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons and Other Landscape Ornamental Shrubs

## WHERE TO USE

Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other shrubs

## WHEN TO USE

Every 6 weeks throughout the growing season (See seasonal limitations in Directions for Use.)

## COVERAGE

Treats up to 16 roses & other shrubs or 200 square feet of flowerbed (32 fl.oz.)

## STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal.**

### **Storage Conditions:**

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Protect from freezing.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### **Container Disposal:**

**If empty: Non-Refillable Container.** Do not refill or reuse this container.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**FIRST AID****IN CASE OF  
ACCIDENTAL...****IMMEDIATELY ...****Contact with  
Eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.
- Call a poison control center or doctor for treatment advice.

**Note:** When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office bring this label to show medical personnel. For Medical Emergency Assistance, call the National Pesticide Information Center 1-800-858-7378.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

**ENVIRONMENTAL HAZARDS**

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

## LIMITED WARRANTY

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.